Lindy Câble adaptateur DisplayPort vers HDMI 4K30Hz, 2m

Marque : Lindy

Code produit: 36922

Nom du produit : Câble adaptateur DisplayPort vers HDMI 4K30Hz, 2m





- Connecte une source DisplayPort à un écran ou un projecteur HDMI 4K UHD
- Prend en charge des résolutions jusqu'à 3840x2160@30Hz
- Prise en charge des modes dupliqué et bureau étendu
- Transmission audio si prise en charge par la source vidéo

Câble adaptateur DisplayPort vers HDMI 4K30Hz, 2m
Lindy Câble adaptateur DisplayPort vers HDMI 4K30Hz, 2m. Longueur de câble: 2 m, Connecteur 1: DisplayPort, Connecteur 2: HDMI Type A (Standard). Certification: CE, UKCA, FCC, RoHS, REACH, UL, California. Diamètre du câble: 7,3 mm, Dimensions du connecteur 1 (l x p x h): 36,4 x 20,5 x 9,4 mm, Dimensions du connecteur 2 (l x p x h): 37,5 x 20,5 x 10,5 mm. Type d'emballage: Sac en polyéthylène. Quantité: 1 pièce(s)

Caractéristiques	
Facteur de forme du connecteur 1	Droit
Facteur de forme du connecteur 2	Droit
Contacts du connecteur de placage	Or
Longueur de câble *	2 m
Connecteur 1 *	DisplayPort
Connecteur 2 *	HDMI Type A (Standard)
Genre de connecteur 1 *	Mâle
Genre de connecteur 2 *	Mâle
Version HDMI	1.4
Version de DisplayPort	1.2
Résolution maximale	3840 x 2160 pixels
Résolutions graphiques prises en charge	3840 x 2160
Modes vidéo pris en charge	1080p
Taux de transfert des données	10,2 Gbit/s
Taux de d'actualisation maximal	30 Hz
Rayon de courbure (min)	7,3 cm
Couleur du produit	Noir
Matériau conducteur	Cuivre étamé
Atténuation nominale	100MHz~450MHz -2.44--5.099dB 450MHz~8100MHz -5.094~32.906dB
Matériau du manteau	Polyvinyl chloride (PVC)

Caractéristiques	
Type de câble	Câble rond
Matériau du boîtier du connecteur	Polyvinyl chloride (PVC) / Acrylonitrile butadiene styrene (ABS)
Matériel de connexion	Or
Matériau de contact	Cuivre
Taille des fils AWG	28
Profondeur de couleurs	8 bit
Nuancier de couleurs	4:4:4
Blindage du câble	Tresse en aluminium
Conditions environnementales	
Température d'opération	0 - 45 °C
Température hors fonctionnement	-10 - 80 °C
Certificat	
Certification	CE, UKCA, FCC, RoHS, REACH, UL, California
Poids et dimensions	
Diamètre du câble	7,3 mm
Dimensions du connecteur 1 (l x p x h)	36,4 x 20,5 x 9,4 mm
Dimensions du connecteur 2 (l x p x h)	37,5 x 20,5 x 10,5 mm
Informations sur l'emballage	
Type d'emballage	Sac en polyéthylène
Contenu de l'emballage	
Quantité	1 pièce(s)

Données logistiques	
Code du système harmonisé	84733080

4002888369220

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 23-SEP-2026. Prints or copies of Information are only valid on the printed Publication date