Lindy Convertisseur actif DisplayPort vers VGA



Marque : Lindy

Code produit: 41006

Nom du produit : Convertisseur actif DisplayPort vers VGA

- Convertit un signal DisplayPort en VGA
- Prend en charge les résolutions jusqu'à 1920x1080@60Hz
- Peut être utilisé pour ajouter un moniteur supplémentaire, pour un affichage dupliqué ou étendu
- Conception compacte et installation rapide

Convertisseur actif DisplayPort vers VGA
Lindy Convertisseur actif DisplayPort vers VGA. Longueur de câble: 0,15 m, Connecteur 1: VGA (D-Sub), Connecteur 2: DisplayPort. Certification: CE, UKCA, FCC, RoHS, REACH. Diamètre du câble: 6,5 mm, Dimensions du connecteur 1 (l x p x h): 38 x 61 x 17 mm, Dimensions du connecteur 2 (l x p x h): 20 x 36 x 11 mm. Largeur du colis: 160 mm, Profondeur du colis: 20 mm, Hauteur du colis: 160 mm. Quantité: 1 pièce(s)

Caractéristiques	
Facteur de forme du connecteur 1	Droit
Facteur de forme du connecteur 2	Droit
Contacts du connecteur de placage	Or
Longueur de câble *	0,15 m
Connecteur 1 *	VGA (D-Sub)
Connecteur 2 *	DisplayPort
Genre de connecteur 1 *	Mâle
Genre de connecteur 2 *	Femelle
Version de DisplayPort	1.2
Résolution maximale	1920 x 1080 pixels
Résolutions graphiques prises en charge	1920 x 1080 (HD 1080)
Taux de transfert des données	10,8 Gbit/s
Taux de d'actualisation maximal	60 Hz
Rayon de courbure (min)	7 cm
Couleur du produit	Noir
Jeu de composants	ANX9833
Matériau du manteau	Polyvinyl chloride (PVC)
Matériau du boîtier du connecteur	Élastomère thermoplastique (TPE)

Caractéristiques	
Plug and Play	✔
Conditions environnementales	
Température d'opération	-20 - 80 °C
Température hors fonctionnement	-20 - 70 °C
Humidité relative de fonctionnement (H-H)	20 - 90%
Certificat	
Certification	CE, UKCA, FCC, RoHS, REACH
Poids et dimensions	
Diamètre du câble	6,5 mm
Dimensions du connecteur 1 (l x p x h)	38 x 61 x 17 mm
Dimensions du connecteur 2 (l x p x h)	20 x 36 x 11 mm
Poids	45 g
Informations sur l'emballage	
Largeur du colis	160 mm
Profondeur du colis	20 mm
Hauteur du colis	160 mm
Poids du paquet	49 g
Type d'emballage	Sac en polyéthylène

Contenu de l'emballage	
Quantité	1 pièce(s)
Données logistiques	
Code du système harmonisé	84733080

4002888410069

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 23-SEP-2026. Prints or copies of Information are only valid on the printed Publication date