Lindy Convertisseur HDMI vers USB Type C avec alimentation USB





Marque : Lindy

Code produit: 43423

Nom du produit : Convertisseur HDMI vers USB Type C avec alimentation USB

Convertisseur HDMI vers USB Type C avec alimentation USB
Lindy Convertisseur HDMI vers USB Type C avec alimentation USB. Longueur de câble: 0,2 m, Connecteur 1: USB Type-C, Connecteur 2: HDMI + USB Type-C. Certificats de conformité: CE, Federal Communications Commission (FCC), REACH, RoHS, Certification: CE, FCC, RoHS, REACH, California Proposition 65. Diamètre du câble: 4,8 mm, Poids: 29 g, Largeur: 71,7 mm. Largeur du colis: 174 mm, Profondeur du colis: 20 mm, Hauteur du colis: 194 mm. Quantité: 1 pièce(s)

Caractéristiques	
Facteur de forme du connecteur 2	Droit
Fréquence d'échantillonnage	192 kHz
Formats de lecture audio	LPCM
Longueur de câble *	0,2 m
Connecteur 1 *	USB Type-C
Connecteur 2 *	HDMI + USB Type-C
Genre de connecteur 1 *	Femelle
Genre de connecteur 2 *	Mâle/Femelle
Version HDMI	2.0
HDCP	✔
Version HDCP	1.3
Mode alternatif de DisplayPort USB de type C	✔
Résolution maximale	3840 x 2160 pixels
Résolutions graphiques prises en charge	3840 x 2160
Taux de transfert des données	18 Gbit/s
Taux de d'actualisation maximal	60 Hz
Couleur du produit	Noir
Jeu de composants	LTD6711A
Matériau du manteau	Polyvinyl chloride (PVC)
Type de câble	Câble rond
Matériau du boîtier du connecteur	Acrylonitrile-Butadiène-Styrène (ABS)

Caractéristiques	
Plug and Play	✔
Conditions environnementales	
Température d'opération	0 - 45 °C
Température hors fonctionnement	-10 - 80 °C
Humidité relative de fonctionnement (H-H)	10 - 85%
Certificat	
Certificats de conformité	CE, Federal Communications Commission (FCC), REACH, RoHS
Certification	CE, FCC, RoHS, REACH, California Proposition 65
Poids et dimensions	
Diamètre du câble	4,8 mm
Poids	29 g
Largeur	71,7 mm
Profondeur	31,3 mm
Hauteur	12 mm
Informations sur l'emballage	
Largeur du colis	174 mm
Profondeur du colis	20 mm
Hauteur du colis	194 mm
Poids du paquet	60 g
Adaptateurs d'interface inclus	USB Type-A mâle - USB Type-C femelle
Type d'emballage	Sac en polyéthylène
Contenu de l'emballage	
Quantité	1 pièce(s)

Contenu de l'emballage	
Manuel d'utilisation	✔

4002888434232

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 23-SEP-2026. Prints or copies of Information are only valid on the printed Publication date